KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-6ABB54-S576

Client: Beyond Peptides

Certified: 08/20/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Retatrutide	**Form**	Lyophilized powder (acetate)
Batch	70-202608-36	**Labeled Qty**	20 mg
Cap Color	White	**Crimp Color**	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.792% ✓
Net Content	(~20mg)	20.61 mg ✓
Identity Confirmation (LC-MS)	(Retatrutide)	Retatrutide ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-6ABB54-S576

Access Code: B7M29Y9